

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8842	((713/151) or (713/154) or (726/2) or (726/3) or (726/5) or (726/6) or (726/15) or (726/30) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:48
L2	33039	(request\$3 ask\$3 inquire\$3 message\$1 packet\$6 datagram\$1) near4 (gateway server\$1 supernet ((administrat\$4 manag\$7 security) near3 (machine\$1 system\$1 server\$1 station\$1 computer\$1)))	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:04
L3	328884	(node\$1 workstation\$1 computer\$2 system\$1) near3 (id identit\$3 identifier\$1 identification\$1 information\$1 address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:59
L4	12610	(verif\$8 compar\$4 match\$3 certif\$8 acknowledge\$1) near4 l3	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:53
L5	269	l1 and l2 and l4	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:54
L6	11393	virtual\$2 near2 (address\$2 location\$1 destination\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:16
L7	8	l5 and l6	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:56
L8	278989	(without\$1 no\$1 don't) near3 (pass\$3 through going goes trespass\$4)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:13
L9	51466	(request\$3 ask\$3 inquire\$3 message\$1 packet\$6 datagram\$1 receiv\$3 send\$3 sent transmit\$4 transmission\$1 deliver\$4) near4 (gateway server\$1 supernet ((administrat\$4 manag\$7 security) near3 (machine\$1 system\$1 server\$1 station\$1 computer\$1)))	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:56
L10	2	l7 and l8	USPAT; IBM_TDB	OR	OFF	2006/05/26 15:57
L11	16005	l9 near7 (id identit\$3 identifier\$1 identification\$1 (secur\$5 near3 (data context\$1 information\$1)) code address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:05

EAST Search History

L12	794	l11 and l6	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:00
L13	5	l12 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:17
L14	7468	(proceed\$3 pass\$3 through going goes trespass\$4) near4 (supernet ((administrat\$4 manag\$7 security) near3 (machine\$1 system\$1 server\$1 station\$1 computer\$1)))	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:14
L15	304	l6 and l14	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:05
L16	304	l15 and (id identit\$3 identifier\$1 identification\$1 (secur\$5 near3 (data context\$1 information\$1)) code address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:25
L17	320806	(first primary second\$3 another\$1 multiple plural\$6) near3 (process\$2)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:08
L19	171	l17 and l16	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:08
L20	1	l19 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:09
L21	321284	(without\$1 no\$1 don't) near3 (pass\$3 through going goes trespass\$4 gateway server middleman intermediate intermediar\$3)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:22
L22	84915	supernet ((administrat\$4 manag\$7) near3 (machine\$1 system\$1 server\$1 station\$1 computer\$1))	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:15
L23	17070	l21 and l22	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:15
L24	19003	administrat\$4 near3 (machine\$1 system\$1 server\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:16
L25	22	l22 and "l25"	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:16
L26	19003	l22 and l24	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:16
L27	4914	l23 and l24	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:16
L28	528	l26 and (virtual\$2 near2 (address\$2))	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:25
L29	5523	l28and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:25

EAST Search History

L30	2	I28 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:17
L31	2847	(without\$1 no\$1 don't) near3 (pass\$3 being through going goes trespass\$4) near6 (gateway server middleman intermediate intermediar\$3 supernet ((administrat\$4 manag\$7 security) near3 (machine\$1 system\$1 server\$1 station\$1 computer\$1)))	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:24
L32	39	I31 and (virtual\$2 near2 (address\$2))	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:25
L33	39	I32 and (id identit\$3 identifier\$1 identification\$1 (secur\$5 near3 (data context\$1 information\$1)) code address\$2 number\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:25
L34	1	I33 and (open near3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/26 16:25